



SCRUBBER DRIERS - RIDE ON

CT110

MAX PRODUCTIVITY

5525 m²/h

BATTERIES
RUNNING TIME

4 h

WATER TANK
RUNNING TIME

100 min
working session



INNOVATIONS



DBL™
DOUBLE
BATTERY
LIFE



ECSTM
ECO COST
CLEANING
SOLUTION



SLSTM™
SELF
LEVELING
SYSTEM

SPECS



INTUITIVE CONTROL PANEL



EASY MAINTENANCE

MOST FREQUENTLY USED



RETAIL



HOSPITALITY



BUILDING SERVICE CONTRACTORS



MUNICIPALITIES

TECHNICAL DATA

PERFORMANCE

	CT110 BT70
Max theoretical productivity	4550 m ² /h
Cleaning path	700 mm
Water tank capacity (solution recovery)	110/115 l
Max running time	240 min
Voltage	24 (4x6) - 222 V-Ah
Installed power	1650 W
Brush pressure	45 kg
Squeegee width	940 mm
Max speed	6,5 km/h
Weight	214 kg
Dimension (LxWxH)	1504 x 759 x 1021 mm

CONSUMABLES

BRUSHES



SPPV01472 | POLYPROPYLENE BRUSH (SOFT)
 SPPV01476 | CARBON FIBRE BRUSH (MEDIUM)
 SPPV01475 | CARBON FIBRE BRUSH (HARD)

PADS



L-222324 | 14' POLISH PAD - WHITE
 L-222325 | 14' BUFF PAD - RED
 L-222326 | 14' SCRUB PAD - BLUE
 L-222327 | 14' STRIPPING PAD - BROWN
 L-1243354 | 14' BUFF PAD - RED (BOX OF 5)

SQUEEGEE BLADES



MPVR08040 | LATEX FRONT BLADE
 MPVR08036 | LATEX REAR BLADE
 MPVR05804 | OIL RESISTANT PU FRONT BLADE
 MPVR05806 | OIL RESISTANT PU REAR BLADE

IPC Australia
 Unit 11, 4 Southridge Street
 Eastern Creek NSW 2766

T: 1800 226 843 (FREE CALL)
 T: +61 2 9839 9700

E: contactanz@ipcworldwide.com
 W: www.ipcworldwide.com

IPC New Zealand
 Unit 5, 103 Cryers Road
 East Tamaki
 Auckland 2013

T: +64 9 253 9013
 F: +64 9 253 9015