



SOFT CARE M H5

Revision: 2018-04-18

Version: 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: SOFT CARE M H5

1.2 Recommended use and restrictions on use

Identified uses:

Cosmetic product , Hand sanitiser

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: +64 9 813 9800; 0800 803 615 (toll free)

Fax: + 64 9 813 9801

Website: www.diversey.com

1.4 Emergency telephone number

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

HSNO Classification

3.1B - Flammable liquid: high hazard

6.1E - Acutely toxic (oral)

6.3B - Mildly irritating to the skin

6.4A - Irritating to the eye

6.9B - Harmful to human target organs or systems (inhalation)

GHS Equivalent Classification

Flammable liquids, Category 2

Acute toxicity, oral, Category 5

Skin irritation, Category 3

Serious eye irritation, Category 2

Specific target organ toxicity (single exposure), Category 3

2.2 Label elements



Signal word: Danger

Hazard statements:

H225 - Highly flammable liquid and vapour.

H303 - May be harmful if swallowed.

H336 - May cause drowsiness or dizziness.

H316 - Causes mild skin irritation.

H319 - Causes serious eye irritation.

Prevention statement(s):

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating or lighting equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

SOFT CARE M H5

P261 - Avoid breathing vapours.
 P264 - Wash face, hands and any exposed skin thoroughly after handling.
 P271 - Use only outdoors or in a well-ventilated area.
 P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337 + P313 - If eye irritation persists: Get medical advice or attention.
 P312 - Call a POISON CENTRE, doctor or physician if you feel unwell.
 P363 - Wash contaminated clothing before reuse.
 P370 + P378 - In case of fire: Use chemical powder to extinguish.

Storage statement(s):

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
 P403 + P235 - Store in a well-ventilated place. Keep cool.
 P405 - Store locked up.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

GHS Equivalent Classification**SECTION 3: Composition/information on ingredients****3.1 Substances / Mixtures**

Ingredient(s)	CAS number	EC number	Weight percent
propan-2-ol	67-63-0	200-661-7	>= 60
propan-1-ol	71-23-8	200-746-9	1-3
glycerol	56-81-5	200-289-5	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures**4.1 Description of first aid measures**

Inhalation: Remove person to fresh air and keep comfortable for breathing.
Skin contact: Take off immediately all contaminated clothing and wash it before re-use.
Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities: Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: May cause drowsiness or dizziness.
Skin contact: No known effects or symptoms in normal use.
Eye contact: Causes severe irritation.
Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

SOFT CARE M H5

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

•3YE

•3 - Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used

Y - Full fire kit and breathing apparatus. Contain.

E - People should be warned to stay indoors with all doors and windows closed, but evacuation may need to be considered

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Turn off all sources of ignition. Ventilate the area. Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

Keep away from flames and hot surfaces. No smoking. Keep away from heat. Take precautionary measures against static discharges.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Handle and open container with care. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Store used personal protective equipment separately. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging. Keep from freezing. Keep cool. Keep away from heat and direct sunlight. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)	Ceiling value(s)
propan-2-ol	400 ppm 983 mg/m ³	500 ppm 1230 mg/m ³	
propan-1-ol	200 ppm 492 mg/m ³	250 ppm 614 mg/m ³	
glycerol	10 mg/m ³		

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

SOFT CARE M H5

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

	Method / remark
Physical State: Liquid	
Colour: Clear, from Colourless to Clear	
Odour: Alcohol To Match Standard (TMS)	
Odour threshold: Not applicable	
pH: ≈ 7 (neat)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	
Flash point (°C): ≈ 19	closed cup
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Upper/lower flammability limit (%): Not determined	
Vapour pressure: Not determined	
Vapour density: Not determined	Not relevant to classification of this product
Relative density: ≈ 0.853 (20 °C)	OECD 109 (EU A.3)
Solubility in / Miscibility with Water: Fully miscible	
Partition coefficient: n-octanol/water No information available. Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3	
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
Viscosity: ≈ 100 mPa.s (20 °C)	
Explosive properties: Not explosive. Vapours may form explosive mixtures with air.	
Oxidising properties: Not oxidising	

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

Take action to prevent static discharges.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 4000

ATE - Dermal (mg/kg): >5000

Substance data, where relevant and available, are listed below..

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
propan-2-ol	LD ₅₀	3570	Rat	Method not given	
propan-1-ol	LD ₅₀	> 2000	Rat	Method not given	
glycerol	LD ₅₀	12600	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
propan-2-ol	LD ₅₀	> 2000	Rabbit	Method not given	
propan-1-ol	LD ₅₀	> 5000	Rabbit	Method not given	
glycerol	LD ₅₀	> 10000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	LC ₅₀	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6
propan-1-ol	LC ₅₀	> 33.8 (vapour) No mortality observed	Rat	OECD 403 (EU B.2)	4
glycerol		No data available			

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	
propan-1-ol	Not irritant	Rabbit	Method not given	
glycerol	Not irritant		OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	
propan-1-ol	Severe damage	Rabbit	Method not given	
glycerol	Not corrosive or irritant		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	No data available			
propan-1-ol	No data available			
glycerol	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
propan-1-ol	Not sensitising		Weight of evidence OECD 406 (EU B.6) / GPMT	
glycerol	Not sensitising	Human	Human repeated patch test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
propan-2-ol	No data available			
propan-1-ol	No data available			
glycerol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method

SOFT CARE M H5

		(in-vitro)	(in-vivo)
propan-2-ol	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results OECD 474 (EU B.12)
propan-1-ol	No evidence for mutagenicity	Method not given	No evidence for mutagenicity Method not given
glycerol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available

Carcinogenicity

Ingredient(s)	Effect
propan-2-ol	No data available
propan-1-ol	No evidence for carcinogenicity, weight-of-evidence
glycerol	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
propan-2-ol			No data available				
propan-1-ol			No data available				
glycerol			No data available				Not toxic for reproduction

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
propan-2-ol		No data available				
propan-1-ol		No data available				
glycerol		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
propan-2-ol		No data available				
propan-1-ol		No data available				
glycerol		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
propan-2-ol		No data available				
propan-1-ol		No data available				
glycerol		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
propan-2-ol			No data available					
propan-1-ol			No data available					
glycerol			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
propan-2-ol	No data available
propan-1-ol	No data available
glycerol	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
propan-2-ol	No data available
propan-1-ol	No data available
glycerol	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	LC ₅₀	> 100	<i>Pimephales promelas</i>	Method not given	48
propan-1-ol	LC ₅₀	> 1000	Fish	Method not given	96
glycerol	LC ₅₀	54000	<i>Oncorhynchus mykiss</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	Method not given	48
propan-1-ol	EC ₅₀	> 3000	<i>Daphnia magna Straus</i>	Weight of evidence DIN 38412, Part 11	48
glycerol	EC ₅₀	> 10000	<i>Daphnia magna Straus</i>	Method not given	24

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propan-2-ol	EC ₅₀	> 100	<i>Scenedesmus quadricauda</i>	Method not given	72
propan-1-ol	NOEC	1150 (nominal)	<i>Chlorella vulgaris</i>	Weight of evidence	-
glycerol		No data available			-

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
propan-2-ol		No data available			-
propan-1-ol		No data available			-
glycerol		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
propan-2-ol	EC ₅₀	> 1000	<i>Activated sludge</i>	Method not given	
propan-1-ol	EC ₅₀	> 1000	<i>Activated sludge</i>	Weight of evidence OECD 209	3 hour(s)
glycerol	EC ₅₀	> 10000	<i>Pseudomonas putida</i>	Method not given	16 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
propan-2-ol		No data available				
propan-1-ol		No data available				
glycerol		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
propan-2-ol		No data				

SOFT CARE M H5

		available				
propan-1-ol	NOEC	> 100	<i>Daphnia magna</i>	OECD 211, flow-through Read across	21 day(s)	
glycerol		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
propan-1-ol		No data available			-	
glycerol		No data available			-	

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
propan-1-ol		No data available			-	
glycerol		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
propan-1-ol		No data available			-	
glycerol		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
propan-1-ol		No data available			-	
glycerol		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
propan-1-ol		No data available			-	
glycerol		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available			-	
propan-1-ol		No data available			-	
glycerol		No data available			-	

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
propan-1-ol	No data available		Not hydrolysible	

SOFT CARE M H5

--	--	--	--	--

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable
propan-1-ol				Method not given	Readily biodegradable
glycerol			60% in 28 day(s)	Method not given	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
propan-2-ol	0.05	OECD 107	No bioaccumulation expected	
propan-1-ol	0.2	Method not given	No bioaccumulation expected	
glycerol	-1.76	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
propan-2-ol	No data available				
propan-1-ol	No data available			No bioaccumulation expected	
glycerol	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
propan-2-ol	No data available				Potential for mobility in soil, soluble in water
propan-1-ol	No data available				
glycerol	No data available				Potential for mobility in soil, soluble in water

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport, Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 1987

14.2 UN proper shipping name:

Alcohols, n.o.s. (propanol , isopropanol)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 3

14.4 Packing group: II

14.5 Environmental hazards:

Environmentally hazardous: No

SOFT CARE M H5

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:

Other relevant information:

Hazchem code: •3YE

EmS: F-E, S-D

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number	HSR002552.
Group standard	Cosmetic Products Group Standard 2017
Inventory Listing(s)	New Zealand: NZIoC (New Zealand Inventory of Chemicals) All components are listed on the NZIoC inventory, or are exempt

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000518

Version: 01.0

Revision: 2018-04-18

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - GHS Specific hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet